



Roller Shades

2025 Product Info & Price Guide

Effective Date: 09/15/2025 Blindscalifornia.com

CONTENTS	PAGE
TERMS OF SALES	4
Price/Quotation	-
Cancellation Or Change Orders	
Order Acknowledgement	
• Lead Time	
Contractor Quote / Commercial Quote	
MANUFACTURER WARRANTY	5
Warranty Terms	
OPERATION GUIDELINES	6
Indoor Use	
Operating Guide	
How to Measure	7
SHIPPING & DELIVERY	8
Packing, Freight and Delivery	
Shipping Damage and Shortages	
WillI Call Hours and Guidelines	
INSTALLATION SERVICES	9
Installation Services	
• Fees	
REPAIR & RUSH ORDER	10
Repair/Modification Fees	
Rush Fees	
Remake Policy	
FABRIC SELECTIONS	12
Fabric Privacy Type, Width, Price Group	
Fabric Certifications and Tests	
TOP TREATMENTS	14
Valance Options	
Fabric Cornice Box	
Top Treatments Pricing	
BOTTOM RAIL	17
Bottom Rail Options	

CONTENTS	PAGE
SIDE CHANNEL & CHAIN ······	18
Side Channel(Light Stop)	
• Chain	
SPECIFICATION	19
Deductions	
Min & Max	
Height Limitations	20
ADDITIONAL OPTIONS	22
· 2-ON-1/3-ON-1	
Duo Shade	23
Railroading	
Cordless Options	24
Spacer Block	
Hold Down Magnet	25
Reverse Roll	
MOTORIZATION ·····	26
Alpha Motor Accessories	
BC Motor Accessories	27
Motor Capacity & Price	28
Smart Controller	
PRICE GROUP A & B	29
PRICE GROUP C & D	30
PRICE GROUP E & F	31
PRICE GROUP G	32



PRICE/QUOTATION

- An extra 8.75% sales tax will be added to the total price if no seller's permit was provided.
- · The prices are subject to change without notice.

CANCELLATION OR CHANGE ORDERS

IMPORTANT! Due to the nature of our customized products, we cannot accept changes or cancellations after orders have been put into production.

ORDER ACKNOWLEDGEMENT

- Order Acknowledgement (OA) / Estimate is sent via email within 48 hours (2 business days) of receiving
 orders. In cases where order processing exceeds 48 hours due to special circumstances, the lead time will
 still be calculated based on the original order date. Please make sure you have your updated email address
 on file with us.
- The order will NOT be processed unless the Order Acknowledgement / Estimate is confirmed. Delayed confirmation may result in a postponement of the order's completion.

LEAD TIME

- Standard lead time is 10 business days. However, this may vary, and any changes will be communicated either through notification or at the time of order confirmation.
- Orders received after 2:30 p.m. Pacific Time are considered as the next business day orders.
- All orders are subject to inventory availability. Any impact on the order lead time due to stock levels will be communicated either through notification or at the time or order confirmation. For non-stock items, we encourage you to confirm availability with us prior to placing an order.

CONTRACTOR QUOTE / COMMERCIAL QUOTE

- Minimum Order Quantity (MOQ) is 100 units per order.
- All commercial quotes are valid for 90 days. Expired quotes are subject to change without notification.
- Any change, including but not limited to size, fabric, valance, controls, quantity, special requirements, may
 result in a change in price and order's completion date.
- · Deposit is required.



1-YEAR LIMITED MANUFACTURER WARRANTY

What Is Covered By The Warranty

- · Warranty is offered to the original owner.
- The warranty only applies to products installed properly in the window for where they were intended, following the installation instructions, care guide, programming instructions, and suggestions.
- The warranty applies to products made and assembled solely with our original materials.
- Warranty will repair or replace the product solely at the manufacturer's option due to defective material or poor workmanship.

*Note: The motorized parts is 5-year warranty. Smart Controller is 3-year warranty.

What Is Not Covered By The Warranty

- This warranty does not apply to any products damaged by accident, misuse, abuse, direct exposure to salty air or improper moisture, discoloration due to sunlight, under exposure or irregular temperature.
- This warranty does not apply to conditions caused by normal wear and tear upon the product. It does not apply to any product damaged by fire, flood, wind, rain, lightning, or other act of nature environment.
- In no event shall the manufacturer be liable for incidental or consequential damage, loss, cost, expense or fee.
- Warranty does not apply to liquidated or discontinued items.
- · Warranty does not include shipping charges.

Information Needed For Warranty Claim

Please contact the customer service with the following information, including:

- · Original sales order with invoice number and side mark
- Specific product (line number in the confirmed OA)
- Detailed description of defect



INDOOR USE

Our shades are designed for indoor use only. To ensure optimal performance and longevity, please operate the shades properly and avoid exposure to outdoor elements.

OPERATION GUIDELINES

- Corded Shades: Slowly pull straight down on the chain in the direction you wish to operate. Avoid
 pulling on an angle or too hard-and-quick, as this may break or dislodge the chain from the internal
 mechanism. (Figure 1)
- Cordless Shades: Pull down or push up gently on the bottom rail until the shade reaches the desired position. Push up the shade too fast may cause the fabric fold or wrinkle because the mechanism hasn't had enough time to fully retract. (Figure 2)
- Motorized Shades: Use remote "Control" or Smart App to operate the shade. Motor programming instruction is separate from this guideline. (Figure 3)











Figure 3

*Note: Cordless Operation: Hold evenly at the bottom rail for wider shades.



HOW TO MEASURE YOUR WINDOWS

Measure each window individually to the nearest 1/8". PLEASE DO NOT USE A CLOTH TAPE.


Inside Mount


- Measure the exact inside width of the window frame from one inside edge to the other. Take three
 measurements one near the top, one in the center, and one near the bottom. Record the narrowest
 measurement.
- Measure the exact height in three places: left, center and right from top edge of opening to top of sill.
 Record the longest measurement.
- Do not take deductions on inside mount measurements. The factory will take an 3/16" allowances for operating clearance.
- Measure the window diagonally in two places. If the two diagonal measurements are not the same, we suggest an outside mount application for the best shade performance and appearance.

Outside Mount

- Measure the exact width of the area to be covered. Be certain the measurement overlaps the window opening by at least 1-1/2" on each side to ensure privacy and light control.
- Measure exact height to be covered, including desired overlap (usually from top edge of molding to bottom edge, or to top of sill). If there is no sill, measure to where the shade is to reach.

*Note: To ensure proper installation and full window coverage, it is recommended to mount the bracket at least 3" above the window opening.







PACKING, FREIGHT AND DELIVERY

- Packing Fee (Corrugated Cardboard): \$5/shade
- Local Delivery Fee: \$150/trip (0~35 miles); Ask for Quote (35 miles and further)
- Small Parcel Shipment Fee: Ask for Quote
- · TL / LTL Shipment Fee: Ask for Quote

SHIPPING DAMAGE AND SHORTAGES

- Blinds California is NOT responsible for any damages or loss of products that occur during shipping
 or handling once the order has been picked up via "Will Call". All products should be inspected by the
 customer at the time of pickup to ensure they are in acceptable condition and correct quantities.
- For orders delivered by Blinds California, customers must inspect the products upon delivery. Any
 damages or loss identified after delivery must reported within 24 hours. Blinds California will not be
 held responsible for damages or loss identified after delivery must be reported.
- For orders shipped or delivered via third-party carriers, Blinds California is not liable for any damages, delays, or loss that occur during transit. Customers should contact the shipping provider directly for claims related to third-party shipping or delivery issues.

WILL CALL HOURS AND GUIDELINES

- Monday to Friday, 9:00 AM 12:30 PM, 1:30 PM 4:00 PM (except Holidays).
- Full payment is required upon pickup.
- All products should be inspected by the customer at the time of pickup to ensure they are in acceptable condition and correct quantities.



INSTALLATION SERVICES

SERVICES	PRICE	UOM
On-site Measurement	\$ 150.00	Per Trip
Installation (< 35 miles from Blinds California Factory)	\$ 15.00	Per Shade
Trip Charge (35 ~ 70 miles from Blinds California Factory)	\$ 250.00	Per Installation
Shade / Blind Removal	\$ 15.00	Per Shade
Shutter Removal	\$ 35.00	Per Shutter
Drapery Removal	\$ 35.00	Per Drape
Installation Minimum Charge	\$ 300.00	Per Installation

- On-site measurement and installation services are subject to technician availability.
- · Appointments are required for all on-site services.
- · Please schedule in advance to ensure availability.
- We recommend confirming your appointments as early as possible, as scheduling is based on first-come, first-served.
- Any changes or cancellations should be communicated at least 1 business day before the scheduled appointment.
- If there is a balance due, it must be paid in full prior to the installation appointment.
- · All charges are NET prices.



REPAIR & MODIFICATION NET SURCHARGES

REPAIRING SERVICES	NET SURCHARGE PER SHADE	LEAD TIME
Repair/Replace Chain	\$ 30.00	2 BusinessDays
Cut Down the Width or Height	\$ 75.00	2 BusinessDays
Change Valance Fabric Cover	\$ 30.00	3 BusinessDays
Swap Fabric	New Shade Price x 0.85	3 BusinessDays
Remake Fabric Roll	New Shade Price x 0.85	3 BusinessDays
Change Bottom Rail	Bottom Rail Surcharge + \$ 50.00	3 BusinessDays
Change Valance	New Valance Price + \$ 50.00	3 BusinessDays
Change to Cordless	Cordless Surcharge + \$ 50.00	3 BusinessDays
Change to Motorized	Motor Cost + \$ 50.00	3 BusinessDays

*NOTE:

- · All repair charges are based on the customer dropping off and picking up the product.
- · Additional shipping or trip charges will apply if shipping or pickup services are requested.

REPAIR & MODIFICATION NET SURCHARGES

RUSH OPTIONS	NET SURCHARGE PER SHADE
5 Business Days Rush	\$ 25.00
3 Business Days Rush	\$ 50.00

- · Rush orders are subject to inventory availability and the production schedule.
- Rush Orders must be submitted by 2:30 p.m. Pacific Time to be processed on that business day.



REMAKE POLICY

If an order qualifies for a remake due to a manufacturing or shipping error (such as incorrect dimensions, color, fabric, or system failure), we will remake the product at no additional charge, strictly according to the specifications of the original order.

- Remakes are only intended to correct errors from the original order.
- Customers may not use a remake request to change the dimensions, fabric, operating system, mounting type, or any other specifications of the original order.
- If a customer wishes to modify any specifications, it will be treated as a new order and charged at the regular price.
- To process a remake request, customers must provide clear photo and/or video evidence showing the problem with the product.
- · Failure to provide sufficient evidence may result in denial of the remake request.



FABRIC SELECTIONS

FABRIC SERIES	PRIVACY TYPE	OPENNESS	FABRIC WIDTH	PRICE GROUP
Allure	Blackout		98"	D
Apollo	Solar Screen	3%	118"	E
Bromus	Solar Screen	5%	118"	D
Dorus	Solar Screen	4%	118"	D
F Screen 3%	Solar Screen	3%	118"	F
F Screen 5%	Solar Screen	5%	118"	E
Galaxy	Blackout		118"	G
Geneva BO	Blackout		118"	F
Geneva LF	Light Filtering		118"	D
London BO	Blackout		118"	F
London LF	Light Filtering		118"	С
Madrid BO	Blackout		118"	E
Madrid LF	Light Filtering		118"	D
Manchester BO	Blackout		118"	F
Manchester LF	Light Filtering		118"	С
Midnight	Blackout		118"	E
Monticello	Blackout		118"	F
Morelle BO	Blackout		118"	D
Morelle LF	Light Filtering		118"	В
Nouveau	Blackout		118"	F
Omega BO	Blackout		118"	G
Omega Screen 1%	Solar Screen	1%	118"	С
Omega Screen 3%	Solar Screen	3%	118"	В
Omega Screen 5%	Solar Screen	5%	118"	В



FABRIC SELECTIONS

FABRIC SERIES	PRIVACY TYPE	OPENNESS	FABRIC WIDTH	PRICE GROUP
Persis	Solar Screen	8%	118"	D
Silk Bamboo BO	Blackout		102"	E
Silk Bamboo LF	Light Filtering		102"	D
Shantung	Solar Screen	10%	118"	D
Shimmering BO	Blackout		118"	F
Shimmering LF	Light Filtering		118"	E
Soft Linen BO	Blackout		98"	D
Soft Linen LF	Light Filtering		98"	Α
Static	Blackout		118"	D
Zipper Screen 60	Solar Screen	6%	126″	G

*NOTE:

- Color Variations: Fabric dye lot variations may exist from roll to roll.
- Detailed images of the fabric series can be viewed in the online on our website blindscalifornia.com

FABRIC CERTIFICATIONS AND TESTS

- · UL Green-guard Gold
- · ROHS Compliant
- NFPA® 701-TM
- · California Title 19
- ASTM G-21
- ASTM E-2180
- OEKO-TEX® Standard 100



VALANCE OPTIONS

VALANCE	SIZE H"X D"	MIN.IM DEPTH	VALANCE COLOR	FABRIC INSERT
No Valance	N/A	1 5/8 inch	N/A	N/A
3" Curved Cassette	3 x 3 1/4	11/8 inch	White, Black, Beige, Bronze, Silve	er Yes
3" Square Cassette	3 x 3 1/4	11/8 inch	White, Black, Beige, Bronze, Silve	er No
4" Curved Cassette	4 x 4	11/8 inch	White, Black, Beige, Bronze, Silve	er Yes
4" Square Cassette	4 x 4 5/8	11/8 inch	White, Black, Beige, Bronze, Silve	er Yes
4" Fascia Valance	3 3/4 x 4 1/8	11/8 inch	White, Black, Beige, Bronze, Silve	er No
5.5" Flat Cassette	5 1/2 x 6	2 1/8 inch	White	Yes
	(adjustable)			










3" & 4" Curved Cassette

3" Square Cassette

4" Square Cassette

4" Fascia Valance

*NOTE:



Valance color availabilities are subject to change. White and Black are stock colors and are typically
available for immediate ordering. Beige, Bronze, and Silver are special-order colors. We recommend
checking availability with us prior to placing your order, as lead times may vary.




FABRIC CORNICE BOX

- Standard Cornice Box is fabric wrapped with roller shade fabrics (Light Filtering & Blackout). Solar Screen fabrics are NOT available for Cornice Box.
- Available Cornice Box sizes are 5.5" and 7.5" (Front Cover Height). Actual width = Order width + 1.25"
- · Keystone decoration is required when the actual width is wider than the fabric width.(Figure 4)



Figure 4

- Inside mount (IM) Cornice Box:(Figure 5)
 - Return Size (Inner Measurement): 1.25"
- Top Cover Size (Inner Measurement): 1.25"
- Outside mount (OM) Cornice Box:(Figure 6)
 - Return Size (Inner Measurement): 4"
- Top Cover Size (Inner Measurement): 4"






Figure 5

Figure 6

- Custom return sizes (bigger than 4") available upon request.
- Installation Brackets: 3" L Shape Brackets for OM; 4.5" Flat Brackets for IM.(Figure 5 & Figure 6)
- Miter Cut (Corner Window) Surcharge: \$15/cut, NET



TOP TREATMENTS PRICING

	24	36	48	60	72	84	96	108	120	132	144	156
3" Square Cassette	19.81	21.30	24.29	30.10	33.26	36.61	44.00	47.87	51.57	65.50	74.50	89.40
3" Curved Cassette	29.67	31.16	34.15	39.96	43.12	46.47	53.86	57.73	61.43	69.50	76.50	91.80
4" Square Cassette	33.27	35.66	39.10	44.91	48.07	48.72	56.11	59.53	63.23	76.00	87.00	104.40
4" Curved Cassette	33.27	35.66	39.10	44.91	48.07	48.72	56.11	59.53	63.23	76.00	87.00	104.40
4" Fascia Valance	28.32	29.36	32.80	38.16	40.87	43.77	51.61	55.03	59.18	68.00	75.50	90.60
5.5" Flat Cassette	35.60	37.39	40.98	47.95	51.75	55.76	64.63	69.28	73.71	82.50	89.50	107.40
5.5" Cornice Box	34.00	50.00	67.00	84.00	101.00	118.00	134.00	151.00	168.00	185.00	202.00	218.00
7.5" Cornice Box	38.00	58.00	77.00	96.00	115.00	134.00	154.00	173.00	192.00	211.00	230.00	250.00

- Above prices include fabric insert charges when fabric insert is applicable. For fabric insert availability,
 Refer to page "Top Treatments I".
- 5.5" and 7.5" Cornice Box Miter Cut (Corner Window) Surcharge: \$15/cut
- All above pricing and surcharges are NET prices.



BOTTOM RAIL OPTIONS

BOTTOM RAIL	CORDLESS HANDLE CLIP	BOTTOM RAIL COLOR	SURCHARGE
Pocket Hem Bar	No	N/A	\$ 0/Shade
Slim Fabric Wrap	Yes	White, Black, Beige, Bronze, Silver	\$ 8/Shade
Slim Non Fabric Wrap	Yes	White, Black, Beige, Bronze, Silver	\$ 5/Shade

- Bottom Rail color availabilities are subject to change. White and Black are stock colors and are typically
 available for immediate ordering. Beige, Bronze, and Silver are special-order colors. We recommend
 checking availability with us prior to placing your order, as lead times may vary.
- · All surcharges are NET pricing.




From left to right are Pocket Hem Bar, Slim Non Fabric Wrap, Slim Fabric Wrap



SIDE CHANNEL (LIGHT STOP)

- Surcharge: \$12/ft per set (two pieces), NET
- · Color options: White, Black, Beige, Bronze, Silver
- Side Channel color availabilities are subject to change. White is stock color and are typically
 available for immediate ordering. Black, Beige, Bronze, and Silver are special-order colors. We
 recommend check- ing availability with us prior to placing your order, as lead times may vary.
- Size: 2 1/2" x 1"
- · Comes with weather-proof stripping and end caps
- · Deductions:
 - Inside Mount (IM): Order Height Valance Size 1"
 - Outside Mount (OM): Order Height Valance Size 0.875"
- Only available with 3" Curved Cassette and 3" Square Cassette.
- When ordering the side channel, privacy and room darkening is improved. However, side channels may have no impact on areas near the top treatment, which may exhibit a halo effect.



CHAIN

- · Default: Metal Chain
- Upon Request: Colored Plastic Chain (Upon Availability)



DEDUCTIONS

MOUNT	DEDUCTION	ACCEPTABLE TOLERANCE
Inside Mount	3/16"	1/16"
Outside Mount	1/16"	1/16"

MIN & MAX

	MIN. W	MAX.W	MIN.H	мах.н
Manual Control w/o Valance	7"		12"	
Manual Control w/ Valance	7"		12"	
BC motor w/o Valance	20"		12"	
BC motor w/ Valance	20"		12"	
Alpha M w/o Valance	25"		12"	
Alpha M w/ Valance	25"		12"	
Alpha L w/o Valance	25"	Refer Fabric Width in "Fabric Selections"	12"	Refer Max Height in
Alpha L w/ Valance	25"	Fabric Selections	12"	"Specification II"
Alpha Wired w/o Valance	28"		12"	
Alpha Wired w/ Valance	28"		12"	
Alpha Low V w/o Valance	18"		12"	
Alpha Low V w/ Valance	18"		12"	
Free Stop Cordless w/ Valance	12"	84"	12"	84"
Pull & Lock Cordless w/ Valance	18"	84"	12"	72"



HEIGHT LIMITATIONS

FABRIC SERIES	MAX HEIGHT (11/2" TUBE) w/ 3" CASSETTE	MAX HEIGHT (2" TUBE) w/ 3" CASSETTE	MAX HEIGHT (2" TUBE) w/o CASSETTE
Allure	144"	144"	144"
Apollo	144"	132"	144"
Bromus	144"	120"	144"
Dorus	144"	132"	144"
F Screen 3%	144"	144"	144"
F Screen 5%	144"	144"	144"
Galaxy	144"	120"	144"
Geneva BO	144"	132"	144"
Geneva LF	144"	144"	144"
London BO	144"	132"	144"
London LF	144"	144"	144"
Madrid BO	144"	144"	144"
Madrid LF	144"	144"	144"
Manchester BO	144"	144"	144"
Manchester LF	144"	144"	144"
Midnight	144"	144"	144"
Monticello	144"	132"	144"
Morelle BO	144"	144"	144"
Morelle LF	144"	144"	144"
Nouveau	144"	144"	144"
Omega BO	144"	132"	144"



HEIGHT LIMITATIONS

FABRIC SERIES	MAX HEIGHT (1 1/2" TUBE) w/ 3" CASSETTE	MAX HEIGHT (2" TUBE) w/ 3" CASSETTE	MAX HEIGHT (2" TUBE) w/o CASSETTE
Omega Screen 1%	144"	120"	144"
Omega Screen 3%	144"	120"	144"
Omega Screen 5%	144"	132"	144"
Persis	144"	108"	144"
Silk Bamboo BO	144"	144"	144"
Silk Bamboo LF	144"	144"	144"
Shantung	144"	96"	144"
Shimmering BO	144"	132"	144"
Shimmering LF	144"	144"	144"
Soft Linen BO	144"	144"	144"
Soft Linen LF	144"	144"	144"
Static	144"	144"	144"
Zipper Screen 60	144"	144"	144"


- When Fabric area > 64 sq.ft. (width x height), a 2" tube will be used for stronger structure.
- For Height goes more than above mentioned maximum, a bigger size of cassette is recommended.



2-ON-1/3-ON-1

	GAPS BETWEEN FABRICS	GAPS BETWEEN FABRICS AND END CAPS	SURCHARGE
2-on-1	3/4" ~ 1"	1/2" ~ 3/4"	\$ 15/Set
3-on-1	3/4" ~ 1"	1/2" ~ 3/4"	\$ 30/Set

- Manual clutch control 2-on-1: By default, the clutches are located on the left and right side of the shade, not in the middle of the shade.
- Top Treatment: 3" Cassettes, 4" Cassettes, Cornice Box.
- Operating System: Clutch, Motorization, Free Stop Cordless.
- Price as 2(3) separate shades and add together, then add the net charge of the selected valance and the corresponding surcharge. Refer to product Specifications for size limits.
- · All surcharges are NET prices.






DUO SHADE

- Top Treatment: 5.5" Flat Cassette, Cornice Box.
- · Operating System: Motorization (Recommend), Clutch.
- Price as 2 separate shades and add together, then add the net charge of the selected valance.





Front view

Side view

RAILROADING

For wider windows, some fabrics can be turned 90° clockwise (width for height), a technique known as railroading. However, it is important to note that the fabric manufacturer does not recommend railroading due to potential challenges with the material's integrity and appearance. If you choose to railroad a fabric for a shade wider than 90", be aware of the following normal characteristics that may occur:

- The edges of the fabric may curl, or the shade may exhibit slight overall waviness.
- A subtle "V" shape may appear in the center of the shade due to fabric weight.
- · Tube deflection may occur.

Since these characteristics are normal and expected, requests for remakes or credits will not be accommodated. Maximum width for railroading is 144".





CORDLESS OPTIONS

CORDLESS	MIN & MAX	SURCHARGE
Free Stop Cordless	See Page "Specification I"	\$ 30/Each
Pull & Lock Cordless (Discontinued)	See Page "Specification I"	\$ 30/Each

*NOTE:

- Cordless shades must come with cassette valances. No valance cordless option is not available at the moment.
- Cordless is NOT available for 3-on-1 shades.
- Cordless handle clips(Figure 7) can be requested with order for slim bottom rails (fabric wrapped or non-fabric wrapped). Pocket hem bar doesn't come with handle clip.
- · All surcharges are NET prices.

SPACER BLOCK

To create additional space between the shade and the vertical wall surface, a spacer block can be placed beneath the installation brackets. Longer screws may be required for installation with spacer blocks.

Spacer blocks are available upon request and should be specified with the order. (Figure 8)






Figure 7 Figure 8



HOLD DOWN MAGNET

· Surcharge: \$25/each, NET


· Hold Down Magnets only work with pocket hem bar bottom rail.

REVERSE ROLL


· Regular Roll (Default): Toward the glass

· Reverser Roll: Away from the glass

Reverse roll is available upon special request with the order.







Reverse Roll



ALPHA MOTOR ACCESSORIES

ALPHA MOTOR ACCESSORIES	PRICE (NET)	DESCRIPTION
1-Channel Pioneer Remote	\$ 30.00	Handheld
4-Channel Pioneer Remote	\$ 39.00	Handheld
8-Channel Pioneer Remote	\$ 62.00	Handheld
16-Channel Pioneer Remote	\$80.00	Handheld
dods -	A V	BS ² 18333373
1-Channel	4-Channel	8 or 16-Channel
1-Channel Navigator Remote	\$ 39.00	Handheld
5-Channel Navigator Remote	\$ 50.00	Handheld
8-Channel Navigator Remote	\$ 76.00	Handheld
16-Channel Navigator Remote	\$ 95.00	Handheld
A · Y	A	allohar OO 20
1-Channel	5-Channel	8 or 16-Channel
USB Charger Box (5V, 2A) AC Adaptor with 13' Cable (16.8V, 1A) Rechargeable External Battery Pack	\$ 8.00 \$ 25.00 \$ 80.00	Compatible with New USB-C Motor Compatible with DC Motor Compatible with Low Volt Motor



BC MOTOR ACCCESSORIES

BC MOTOR ACCESSORIES	PRICE (NET)	DESCRIPTION
1-Channel Remote	\$ 30.00	Handheld
2-Channel Remote	\$ 39.00	Handheld
6-Channel Remote	\$ 50.00	Handheld
16-Channel Remote	\$ 62.00	Handheld
USB Charger Box (5V, 2A)	\$ 8.00	Compatible with BC USB-C Motor



- Each Alpha or BC Motor comes with 1 charging cable only. Charger box is sold separately.
- The default quantity of the USB charger and cable is 1 set per order. You can request more sets at no
 cost up to the same quantity as the rechargeable battery motor you ordered
- The motor battery life may vary depending on the frequency of use and the size (weight) of the shade.
 To ensure optimal performance, please charge the battery until the indicator turns green, then unplug it.
 Leaving the battery plugged in after it's fully charged may damage the battery, which is not covered under warranty. Typically, it takes 6-8 hours to fully charge the battery.
- For warranty purposes, only use the provided USB charger for rechargeable battery motor; damage caused by using alternative chargers will not be covered.



MOTOR CAPACITY & PRICE

MOTOR	MAX.SQFT	PRICE (NET)	UOM	
Alpha M Battery Motor	100	\$ 160.00	Each	
Alpha L Battery Motor	144	\$ 180.00	Each	
Alpha Wired 110V Motor (No Battery)	144	\$ 250.00	Each	
Alpha Low Volt Motor (No Battery)	36	\$ 120.00	Each	
BC_Battery Motor	100	\$ 129.00	Each	

SMART CONTROLLER

SMARTHUB	PRICE (NET)	DESCRIPTION
NEO Smart Hub (with Smartphone APP)	\$ 185.00	Compatible with Alpha and BC Motors
Compatible with Amazon Alexa, Google Hor	ne, SmartThings, Si	ri, Control 4, Savant, and MORE

- · Indoor use only
- · WiFi: 2.4GHz
- Coverage: up to 3,500 sq.ft.
- Coverage may vary based on house construction materials, layout, number of floors, reception strength, and Neo Smart Hub location. Central placement and higher elevation within the house help maximize signal distribution.





GROUP A (MSRP)

	24	36	48	60	72	84	96	108	120	132	144
36	277	326	353	395	438	481	570	746	1089	1444	1619
48	289	340	372	420	468	516	611	793	1142	1517	1698
60	302	355	392	446	498	552	650	838	1193	1588	1776
72	315	371	414	470	529	586	691	883	1247	1660	1856
84	328	386	434	497	559	621	731	927	1299	1731	1933
96	341	401	453	522	589	658	772	974	1353	1803	2011
108	354	416	473	547	619	692	811	1018	1404	1877	2091
120	367	432	493	572	649	729	853	1064	1457	1948	2168
132	380	447	513	597	680	763	892	1109	1511	2020	2247
144	393	462	532	621	710	798	934	1154	1563	2092	2326

GROUP B (MSRP)

	24	36	48	60	72	84	96	108	120	132	144
36	302	355	390	453	493	547	645	833	1190	1582	1779
48	321	378	422	493	542	602	710	905	1273	1696	1895
60	343	404	454	532	590	659	773	976	1357	1810	2020
72	361	425	486	572	639	714	836	1048	1441	1925	2143
84	383	450	518	613	685	769	899	1120	1523	2024	2268
96	404	475	550	652	734	826	965	1192	1608	2153	2392
108	423	498	582	691	782	882	1030	1263	1691	2267	2516
120	445	523	614	732	829	938	1092	1335	1775	2380	2641
132	464	546	646	772	878	994	1156	1408	1859	2494	2764
144	485	571	677	812	925	1049	1219	1478	1943	2608	2891



GROUP C (MSRP)

	24	36	48	60	72	84	96	108	120	132	144
36	318	374	414	471	528	557	664	857	1224	1627	1821
48	342	402	454	519	585	619	729	929	1308	1743	1948
60	366	431	490	567	642	681	799	1009	1402	1869	2086
72	390	459	528	615	699	742	869	1089	1497	1999	2227
84	415	488	567	661	757	803	940	1170	1591	2129	2368
96	439	517	603	710	813	867	1010	1249	1685	2257	2508
108	462	544	642	756	871	927	1083	1330	1779	2386	2648
120	487	573	681	803	927	990	1153	1409	1873	2513	2788
132	511	601	718	852	985	1052	1223	1490	1968	2641	2927
144	536	630	756	899	1040	1113	1294	1569	2062	2769	3067

GROUP D (MSRP)

	24	36	48	60	72	84	96	108	120	132	144
36	331	389	436	501	563	628	739	937	1309	1745	1947
48	360	424	484	560	636	712	834	1045	1434	1917	2135
60	393	462	533	621	709	798	930	1154	1562	2089	2323
72	423	498	581	682	781	881	1028	1262	1687	2261	2512
84	453	533	629	742	853	966	1124	1370	1813	2433	2699
96	483	568	677	802	926	1050	1219	1478	1941	2606	2886
108	513	604	725	862	997	1134	1316	1587	2067	2779	3075
120	545	641	774	922	1070	1217	1413	1685	2193	2951	3263
132	575	677	823	982	1143	1303	1509	1803	2319	3123	3449
144	606	713	870	1042	1215	1386	1606	1913	2445	3295	3638



GROUP E (MSRP)

	24	36	48	60	72	84	96	108	120	132	144
36	353	415	465	534	601	671	789	1000	1398	1863	2079
48	386	454	518	598	680	760	892	1117	1533	2048	2280
60	419	493	570	663	757	852	994	1233	1667	2231	2482
72	451	531	620	729	834	941	1098	1348	1802	2415	2683
84	485	570	672	793	912	1032	1199	1463	1936	2598	2882
96	515	606	723	856	989	1121	1302	1579	2072	2783	3083
108	549	646	775	921	1064	1212	1406	1695	2207	2968	3284
120	582	685	826	985	1143	1301	1509	1811	2342	3152	3485
132	615	723	878	1050	1220	1391	1611	1927	2477	3335	3684
144	647	761	929	1113	1297	1480	1715	2043	2611	3519	3886

GROUP F (MSRP)

	24	36	48	60	72	84	96	108	120	132	144
36	368	433	513	606	699	791	921	1120	1476	1981	2196
48	428	504	607	723	841	956	1109	1332	1723	2381	2562
60	489	575	701	843	982	1122	1296	1543	1970	2655	2931
72	548	654	797	960	1123	1286	1487	1755	2217	2991	3297
84	609	716	890	1076	1263	1449	1674	1968	2463	3328	3665
96	668	786	985	1195	1405	1616	1862	2178	2710	3664	4032
108	728	857	1078	1312	1546	1779	2050	2390	2957	4001	4399
120	789	928	1173	1430	1687	1946	2238	2602	3202	4338	4767
132	848	998	1267	1547	1829	2109	2426	2814	3450	4673	5133
144	908	1068	1260	1665	1970	2274	2616	3026	3697	5011	5500



GROUP G (MSRP)

	24	36	48	60	72	84	96	108	120	132	144
36	429	505	598	707	815	923	1074	1306	1722	2312	2562
48	500	588	709	844	981	1115	1293	1554	2010	2705	2990
60	570	670	818	982	1145	1308	1513	1800	2298	3098	3419
72	640	753	928	1119	1310	1499	1734	2048	2586	3490	3847
84	710	835	1038	1256	1473	1691	1953	2296	2874	3882	4276
96	779	917	1148	1395	1640	1885	2172	2541	3162	4275	4705
108	849	999	1257	1532	1803	2076	2392	2789	3449	4668	5132
120	921	1083	1368	1669	1969	2269	2611	3036	3736	5060	5562
132	989	1164	1478	1805	2134	2461	2831	3283	4025	5452	5989
144	1060	1247	1587	1941	2298	2652	3051	3530	4313	5846	6416

- All above prices are for regular manual chain controlled roller shades without any top treatments, additional options, or special requests.
- · Contact Blinds California to access your cost factor.
- Blinds California reserves the right to interpret and clarify pricing details.