

Monticello reveals the power of subtle shifts in color when overlapping woven yarns in various horizontal and vertical locations. This results in a richly patterned surface and shade fabric designed to give you complete light control, variety, and style.










RO MA N SH AD ES





PA NE L TR AC KS

SK YLIGHT TR AC KS

A PARTY OF A PARTY OF THE PARTY	
THE PROPERTY OF THE PROPERTY O	
A CONTRACTOR OF THE PROPERTY O	
the best of the be	
Control of the contro	
是是是是是是是是一个人的,也不是一个人的,不是一个人的,不是一个人的,也不是一个人的,也不是一个人的,也不是一个人的,也不是一个人的,也不是一个人的,也不是一个人	

The state of the s	
NAME OF THE PROPERTY OF THE PR	
A LANGUAGE CONTRACTOR OF THE PROPERTY OF THE PARTY OF THE	
1411年1511年1511年1511年1511年1511年1511年1511	
declarate to the facility bullet be declarate by the first to the contract of	
manufacture and a second property of the first of the fir	
between the state of the state	
PER 18 18 18 18 18 18 18 18 18 18 18 18 18	
April 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
ETTTE TETT TO THE ENGLISH STATE OF THE STATE	
医复数性 医乳腺性 医乳腺性 化双环烷酸 医乳腺素 医乳腺素 医乳腺素 医乳腺性 医二甲基二甲基二甲基二甲基二甲基二甲基二甲基二甲基甲基甲基甲基甲基甲基甲基甲基甲	
· 体体集结准注度。 生物动物和外种的物体的物物物物物物物物物物物物物物物	
(FILIPPINIS) PRINCIPLE PROPERTY PROPERTY SEE SEE SEE SEE SEE SEEDING PROPERTY PROPERTY.	
·····································	
· · · · · · · · · · · · · · · · · · ·	
10 11 11 11 11 11 11 11 11 11 11 11 11 1	
A CONTROL OF THE PARTY OF THE P	
是一次 Cresses 10 10 10 10 10 10 10 10 10 10 10 10 10	
PRINCIPLE CONTROL OF THE PRINCIPLE OF TH	
起動 医阴道性 海绵 医眼球 医眼球 医眼球 医阴球性 电影 化二氯甲基甲基二氯甲基二氯甲基甲甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲	
在准律性性 医二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十	
\$	
· 大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大	
و و دو د و د و د و د و د و د و و د و د	
# D = D D D = D D D D D D D D D D D D D	
· 在在一个时间,我们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们	
ցարանանանանականին հանդիրականին հայարական հայարական հայարական հայարական հայարական հայարական հայարական հայարական Հ. Հ. Հայաստանայան Հ.	
William Control of the Control of th	
A. A. C.	

LIGHT EGGSHELL

1901




1903



LIGHT MOCA

1904



GRAY SHADOW

1905



FABRICATION METHODS

Cutting: Cold Cut, Ultrasonic, Crush Cut or Laser Seaming / Hemming: Thermal, High-Frequency, Ultrasonic or Sewing.

PRODUCT SPECIFICATIONS

COMPOSITION 100% Polyester

ROLL WIDTH 98" ROLL LENGTH 33 yd

WEIGHT / YD^2 10.90 oz/ yd^2 THICKNESS .026" \pm 5%

COLOR FASTNESS 4.5 (AATCC 16-2003)

CARE AND CLEANING

Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating on the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.

CERTIFICATIONS, TESTS, AND WARRANTY

CALIFORNIA TITLE 19

FLAME RETARDANT

OEKO-TEX® STANDARD 100

FREE OF HARMFUL CHEMICALS UL GREENGUARD GOLD

HEALTHY INDOOR AIR QUALITY ROHS COMPLIANT

FREE OF HARMFUL METALS 10 YEAR WARRANTY

QUALITY GUARANTEED ASTM G-21 & E-2180 BACTERIA & FUNGAL RESISTANCE