BLINDS CALIFORNIA


PURE BLACKOUT

BLACKOUT SCREEN FABRICS	0% OPENNESS FACTOR




SUNCOOL TRANSPARENT SCREEN FABRICS


PURE BLACKOUT




WHITE SC-P9-001




LINEN SC-P9-009




WHITE GRAY SC-P9-002



LIGHT GRAY SC-P9-003



CHARCOAL GRAY SC-P9-006



CHARCOAL BRONZE SC-P9-007



CHARCOAL SC-P9-008

PURE BLACKOUT


Woven Blackout Screen Fabric

Pure Blackout delivers near-total light control with 0.001% visible light transmittance—achieving true blackout performance without the need for heavy coatings or laminated backings. Engineered with a high-density, tightly woven construction and light-absorbing core yarns, it minimizes reflectance at the source while maintaining a smooth, uniform appearance. The result is a durable, refined blackout solution that combines the performance of coated systems with the clean aesthetic of a woven fabric.





Applications



PURE BLACKOUT

Product Specifications

FABRIC PERFORMANCE AT A GLANCE	
Fabric Style	Blackout
Openness	0%
UV Blockage	≈ 100%

Fabric Composition	25% Polyester +75% PVC
Standard Roll Length	33.00 yd
Available Widths	118 inch
Weight	15.34 oz/yd² ± 5 %
Thickness	0.024" ± 5 %
Fabrication methods	Cutting: cold cut / ultrasonic / crush cut Seaming / Hemming: thermal / high-frequency / ultrasonic / sewing



Certifications, Tests, and Warranty

Health & Safety Tests

UL GREENGUARD GOLD
HEALTHY INDOOR AIR QUALITY

ROHS COMPLIANT
FREE OF HARMFUL METALS

ASTM G-21 & E-2180
BACTERIA & FUNGAL RESISTANCE

Fire Tests

NFPA® 701-TM
FIRE RETARDANT

Warranty

10 YEAR WARRANTY
QUALITY GUARANTEED